

PRODUCT CATALOG



佛山市南海区伊康电子有限公司
Foshan Naihai E-come Electronics Co., Ltd

Business partners:

THREEUP ∞ OA·오아 LEZEN SONA TELEFUNKEN

Disney CVS pharmacy eureka Walmart Save money. Live better. MARVEL

Authentication:



COFFEE MACHINE (咖啡机)



Portable Auto Coffee Machine

便携式全自动咖啡机 (热萃版)



● Silvery (银色) ● Green (绿色) ● Mocha (摩卡色) ● Black (黑色)

Model EK120CA热萃/EK120CB直萃

- Automatic grind and brew (全自动研磨和冲煮)
- 12+ levels of grinding calibration adjustable (12+格研磨刻度可调)
- Rotating water injection, simulating hand brewing (旋转注水, 模拟手冲)
- Metal housing (金属外壳)
- Easy to carry (方便携带)
- Water shortage protection (缺水保护)
- SUS304 tritan (食品级材料)
- Tip-over switch (倾倒保护)

	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	电池容量 Battery	充电时间 Charging Time	热萃杯数 Hot Coffee	冷萃杯数 Cold Coffee	净重 N.W. (kg)
直萃版 Direct Extraction	10W	DC5V 2A	Φ74×270	2500mAh*3	2.5h(QC)	N/A	200cups	0.98kg
热萃版 Hot Extraction	120W	DC5V 2A	Φ74×270	4500mAh*3	4h(QC)	2cups	400cups	1kg

COFFEE MACHINE (咖啡机)



Portable Coffee Maker 随身咖啡机



○ White
(白色)
直萃版



● Silvery
(银色)
热萃版

Model EK60CA热萃/EK60CB直萃

- ☕ Apply to capsule/coffee powder (适用于咖啡胶囊/咖啡粉)
- 🏠 Metal housing (金属外壳)
- ⌚ 15-20Bar (萃取压力)
- ☕ Hot/Cold coffee (热萃/冷萃咖啡)
- 👜 Easy to carry (方便携带)
- 🛡️ Water shortage Protection (缺水保护)
- 🔄 SUS304 Tritan (食品级材料)
- 🔄 Tip-over switch (倾倒保护)

	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	电池容量 Battery	充电时间 Charging Time	热萃杯数 Hot Coffee	冷萃杯数 Cold Coffee	净重 N.W. (kg)
直萃版 Direct Extraction	10W	DC5V 2A	Φ74×248	2600mAh*2	4.5h	N/A	200cups	0.8kg
热萃版 Hot Extraction	120W	DC5V 2A	Φ74×248	3000mAh*3	2.5h(QC)	3cups	400cups	0.84kg

COFFEE MACHINE (咖啡机)



Portable Coffee Maker 随身咖啡机



○ White
(白色)

● Black
(黑色)

● Green
(绿色)

Model EK60CC液晶/EK60CE数码

-  Apply to capsule/coffee powder
(适用于咖啡胶囊/咖啡粉)
-  8-10Bar (萃取压力)
-  Hot/Cold coffee (热萃/冷萃咖啡)
-  Easy to carry (方便携带)
-  Water shortage protection (缺水保护)
-  SUS304 tritan (食品级材料)
-  Tip-over switch (倾倒保护)

	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	电池容量 Battery	充电时间 Charging Time	热萃杯数 Hot Coffee	冷萃杯数 Cold Coffee	净重 N.W. (kg)
液晶版LCD Version	120W	DC5V 2A	Φ74*248	3000mAh*3	2.5h(QC)	3cups	400cups	0.83kg
数码版Digital Version	120W	DC5V 2A	Φ74*248	3000mAh*3	2.5h(QC)	3cups	400cups	0.84kg

COFFEE MACHINE (咖啡机)



3-in-1 Coffee Machine 三合一咖啡机



Tea
(茶)



Coffee
(咖啡)



Hot Water
(水)

Model EK2000CA

-  It can grind coffee beans and brew coffee (可研磨咖啡豆并冲煮咖啡)
-  Can be used to brew tea leaves (可冲茶叶)
-  Can be used as a water dispenser (可充当饮水机使用)
-  Water shortage Protection (缺水保护)
-  Tip-over switch (倾倒保护)
-  SUS304 Tritan (食品级材料)

功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	水箱容量 Battery	净重 N.W. (kg)	20"GP	40"QH
2100W	220V 50Hz	171x255x341mm	2.5L	约2kg	/	/

COFFEE MACHINE (咖啡机)



3-in-1 Coffee Machine 三合一咖啡机



Tea
(茶)

Coffee
(咖啡)

Hot Water
(水)

Model EK500CA

-  It can grind coffee beans and brew coffee (可研磨咖啡豆并冲煮咖啡)
-  Can be used to brew tea leaves (可冲茶叶)
-  Can be used as a water dispenser (可充当饮水机使用)
-  Water shortage Protection (缺水保护)
-  Tip-over switch (倾倒保护)
-  SUS304 Tritan (食品级材料)

功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	水箱容量 Battery	净重 N.W. (kg)	20"GP	40"QH
1400W	100-120V 220-240V	122*200*327mm	0.5~2L	约1.5kg	/	/

COFFEE MACHINE (咖啡机)



3-in-1 Coffee Machine 三合一咖啡机



Tea
(茶)



Coffee
(咖啡)



Hot Water
(水)

Model EK500CB

-  It can grind coffee beans and brew coffee (可研磨咖啡豆并冲煮咖啡)
-  Can be used to brew tea leaves (可冲茶叶)
-  Can be used as a water dispenser (可充当饮水机使用)
-  Water shortage Protection (缺水保护)
-  Tip-over switch (倾倒保护)
-  SUS304 Tritan (食品级材料)

功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	水箱容量 Battery	净重 N.W. (kg)	20"GP	40"QH
1400W	100-120V 220-240V	160*336*426mm	0.5~2L	/	/	/

COFFEE MACHINE (咖啡机)



Handy Grinding & Brewing Coffe Maker

磨冲一体咖啡机



○ White
(白色)



● Silvery
(银色)



Handy Grinding
(研磨)



Brewing
(冲煮)

Model EK200CA

-  12+ levels of grinding calibration adjustable
(12+格研磨刻度可调)
-  SUS420 stainless steel grinding core
(SUS420不锈钢磨芯)
-  Double SUS304 ball bearings
(双 SUS304滚珠轴承)
-  Double-layer insulated stainless steel cup
(双层保温SUS304不锈钢杯)
-  SUS304 stainless steel 100-mesh filter screen
(SUS304不锈钢100目滤网)
-  Easy to carry (方便携带)

容量 Capacity	产品尺寸 Unit Dimension (mm)	净重 N.W. (kg)	20"GP	40"HQ
220ml	Φ76×210	500g	10080	25200

GRINDER (磨豆机)



Grinder 磨豆机
Model (型号) SHW-299

Input Voltage(输入电压)	100/220V 50/60Hz
Wattage(功率)	120W
N.W.(净重)	0.62kg
Capacity(容量)	65g
Unit Dimension(产品尺寸)	96x110x175mm
20`GP	9720
40`HQ	23976



Grinder 磨豆机
Model (型号) SHW-399

Input Voltage(输入电压)	100/220V 50/60Hz
Wattage(功率)	120W
N.W.(净重)	0.7kg
Capacity(容量)	65g
Unit Dimension(产品尺寸)	96x110x175mm
20`GP	9720
40`HQ	23976

Foshan Nanhai E-come Electronics Co., Ltd.



公司简介
Company Introduction

*Adress: E-COME Industrial Building,F20 District,
Pingnan village,Pingzhou,Nanhai,Foshan,
Guangdong,China*

Tel: 0086-757-81288271/86796378

Fax: 0086-757-81288270

Wed: www.fsecome.com

Phone/Wechat: +86 13929919076

Email: Jessica@fsecome.com