

PRODUCT CATALOG



佛山市南海区伊康电子有限公司
Foshan Naihai E-come Electronics Co., Ltd

Business partners:

THREEUP ∞ OA·오아 LEZEN SONA TELEFUNKEN

Disney CVS pharmacy eureka Walmart Save money. Live better. MARVEL

Authentication:



DEHUMIDIFIER (除湿器)



Dehumidifier

除湿器



○ White (白色)

Model EK360KA

-  Continuous draining mode (持续排水)
-  Care mode (护理模式)
-  High temperature alarm (高温报警)
-  IPX4 waterproof rating (IPX4防水等级)

水箱容量 Water capacity	除湿量 Dehumidification	工作温度 Working Temperature	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	净重 N.W. (kg)	20' GP	40' HQ
(MAX) 750ml	(MAX) 约360ml/day	5~35°C	65W	220V~60Hz	100x272x276	约1.94	/	/

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器



○ White (白色)

Model EH30PI

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1-9h
-  Child lock (童锁功能)
-  Built-in heating water tank (内胆发热蒸发)
-  Water shortage protection (缺水保护)
-  Intelligent humidity control (湿度设定)
-  Pickling/mute function (酸洗/静音功能)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20°C	40°C
(MAX) 3L	(MAX) ≥600mL/h	Low≈15h High≈5h	660W	100V 50/60Hz	228x228x320	15-20	2.8kg	/	/

HUMIDIFIER(加湿器)



Travel Humidifier 旅行加湿器

○ White (白色)



Model EH25PD

-  Speed (档位) : L (低)、H (高)
-  Background light (氛围灯)
-  Water shortage protection (缺水保护)
-  Pickling function/silent design (酸洗/静音结构)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2.5L	(MAX) ≥300mL/h	Low≈13h High≈8h	280W	AC100V 50/60Hz	284x177x212	30	/	/	/

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器

Model EH40PA



○ White (白色)

-  Speed (档位) : L (低)、H (高)
-  Built-in heating water tank (内胆发热蒸发)
-  Water shortage protection (缺水保护)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20"GP	40"HQ
(MAX) 4L	(MAX) ≥400mL/h	Low≈16h High≈8h	400W	AC100V 50/60Hz	272x272x243	40	/	/	/

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器

Model EH30KE



○ White (白色)

-  Speed (档位) : L (低)、M (中)、H (高)
-  Timer (定时) : 1-9h
-  Child lock (童锁功能)
-  Pickling/mute function (酸洗/静音功能)
-  Intelligent humidity control (湿度设定)
-  Background light (氛围灯)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥480mL/h	6-21h	960W	AC100-120V AC220-240V	219x228x354	15-20	/	/	/

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器



○ White (白色)

Model EH30KF

-  Speed (档位): L (低)、M (中)、H (高)
-  Timer (定时): 1-9h
-  Child lock (童锁功能)
-  Pickling/mute function (酸洗/静音功能)
-  Intelligent humidity control (湿度设定)
-  Background light (氛围灯)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥480mL/h	6-21h	960W	AC100-120V AC220-240V	324x324x353	18-30	/	/	/

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器



○ White (白色)

Model EH30PF

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1-7h
-  Child lock (童锁功能)
-  Pickling function (酸洗功能)
-  Water shortage protection (缺水保护)
-  100% sterilization and disinfection (100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension 'mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≈300mL/h	10-15h	280W	AC100-120V AC220-240V	300x300x294	15-20	/	/	/

HUMIDIFIER(加湿器)



Travel Humidifier 旅行加湿器

○ White (白色)



Normal state
(正常状态)



Stored state
(收纳状态)

Model EF20PC

-  Speed (档位) : L (低)、H (高)
-  Background light (氛围灯)
-  Water shortage protection (缺水保护)
-  Easy to carry (可收纳放入20寸旅行箱)
-  Pickling function/silent design (酸洗/静音结构)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20"GP	40"HQ
(MAX) 2L	(MAX) ≥300mL/h	6.5h~11h	280W	AC100-120V AC220-240V	288x162x151 288x162x217	15-20	/	/	/

HUMIDIFIER(加湿器)



Steam Heat Humidifier 电热加湿器



○ White (白色)

Model EF25PC

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1-9h
-  Background light (氛围灯)
-  Water shortage protection (缺水保护)
-  Pickling function/silent design (酸洗/静音结构)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2.5L	(MAX) ≥300mL/h	8h~13h	280W	AC100-120V AC220-240V	284x177x212	15-20	/	/	/

HUMIDIFIER(加湿器)



Steam Heat Humidifier

电热加湿器

Model EH30



○ White (白色)



● Black (黑色)

-  Speed (档位) : L (低) 、 H (高)
-  Timer (定时) : 1-9h
-  Child lock (童锁功能)
-  Built-in heating water tank (内胆发热蒸发)
-  Water shortage protection (缺水保护)
-  Intelligent humidity control (湿度设定)
-  Pickling/mute function (酸洗/静音功能)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥600mL/h	Low≈9h High≈4.5h	740W	AC100-120V AC220-240V	240x240x320	18-30	2.5	800	2000

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器



○ White (白色)

● Black (黑色)

Model EH30K

-  Speed (档位) : L (低) 、 H (高)
-  Timer (定时) : 1-9h
-  Child lock (童锁功能)
-  Built-in heating water tank (内胆发热蒸发)
-  Water shortage protection (缺水保护)
-  Intelligent humidity control (湿度设定)
-  Pickling/mute function (酸洗/静音功能)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥600mL/h	Low≈9h High≈4.5h	740W	AC100-120V AC220-240V	242x245x343	18-30	2.5	800	2000

HUMIDIFIER (加湿器)



Steam Heat Humidifier

电热加湿器



○ White (白色)

Model EH30PC

- ⦿ Speed (档位) : L (低) 、 H (高)
- ⌚ Timer (定时) : 1-9h
- 🔒 Child lock (童锁功能)
- 🔥 Built-in heating water tank (内胆发热蒸发)
- 🛡️ Water shortage protection (缺水保护)
- 🧠 Intelligent humidity control (湿度设定)
- 🔇 Mute function (静音功能)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥600mL/h	Low≈/h High≈/h	740W	AC100V 50/60Hz	240x244x373	18-30	/	960	2352

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器

Model EH30PD



○ White (白色)

● Black (黑色)

-  Speed (档位) : L (低) 、 H (高)
-  Built-in heating water tank (内胆发热蒸发)
-  Water shortage protection (缺水保护)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥600mL/h	Low≈9h High≈4.5h	740W	AC220V 50/60Hz	228x244x329	18-30	/	960	2464

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器

Model EH30PE



○ White (白色)

● Black (黑色)

-  Speed (档位) : L (低) 、 H (高)
-  Heating steam (加热蒸发)
-  Water shortage protection (缺水保护)
-  100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20"GP	40"HQ
(MAX) 3L	(MAX) ≥300mL/h	Low≈15h High≈10h	260W	AC220V 50/60Hz	200x216x284	15-20	/	1232	2944

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器

Model EH30KC



○ White (白色)



● Black (黑色)

- Speed (档位) : L (低) 、 H (高)
- Heating steam (加热蒸发)
- Water shortage protection (缺水保护)
- 100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥300mL/h	Low≈15h High≈10h	260W	AC220V 50/60Hz	244x251x283	15-20	/	1120	2560

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器

Model EH30KD



○ White (白色)

● Black (黑色)

- Speed (档位) : L (低) 、 H (高)
- Timer (定时) : 1-7h
- Heating steam (加热蒸发)
- Water shortage protection (缺水保护)
- 100% sterilization and disinfection
(100%杀菌消毒)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 3L	(MAX) ≥300mL/h	Low≈15h High≈10h	260W	AC220V 50/60Hz	244x244x283	15-20	/	1120	2560

HUMIDIFIER(加湿器)



Steam Heat Humidifier 电热加湿器



○ White(白色)



● Black (黑色)

Model EH28KA

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1-7h
-  Child lock (童锁功能)
-  Heating steam (加热蒸发)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2.8L	(MAX) ≥300mL/h	Low≈12h High≈8h	260W	AC220V 50/60Hz	244x244x246	15-20	/	1116	2556

HUMIDIFIER(加湿器)



Steam Heat Humidifier 电热加湿器

Model EH25



○ White(白色)



● Blue (蓝色)

-  Speed (档位) : L (低) 、 H (高)
-  Timer (定时) : 1h、2h、4h
-  Child lock (童锁功能)
-  PTC heating steam (PTC加热蒸发)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2.5L	(MAX) ≥250mL/h	Lcw≈13h High≈8h	260W	AC100-120V AC220-240V	244x244x249	15-20	1.8	1116	2556

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器



○ White (白色)



● Black (黑色)

Model EH20

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1h、2h、4h
-  Child lock (童锁功能)
-  PTC heating steam (PTC加热蒸发)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2L	(MAX) ≥250mL/h	Low≈10h High≈6h	260W	AC100-120V AC220-240V	218x218x272	15-20	1.9	1116	2556

HUMIDIFIER (加湿器)



Steam Heat Humidifier 电热加湿器



○ White (白色)



● Black (黑色)

Model EH20

-  Speed (档位) : L (低)、H (高)
-  Timer (定时) : 1h、2h、4h
-  Child lock (童锁功能)
-  PTC heating steam (PTC加热蒸发)
-  Water shortage protection (缺水保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2L	(MAX) ≥250mL/h	Low≈10h High≈6h	260W	AC100-120V AC220-240V	218x218x272	15-20	1.9	1116	2556

HUMIDIFIER (加湿器)



Aroma diffuser 香薰精油机



○ White (白色)



● Grey (灰色)

Model EW2105(AC/DC)

-  Speed (档位) : L (低)、H (高)
-  Background light (氛围灯)
-  Ultrasonic (超声波雾化)
-  Water shortage protection (缺水保护)
-  Smart life App(Optional)(智慧生活App)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 0.28L	(MAX) ≥15mL/h	Low≈12h High≈6h	AC:21W DC:22W	AC100-240V DC24V 1A	151x147.5x204	10-40	AC:0.58 DC:0.49	2880	6840

HUMIDIFIER (加湿器)



Water Drop Humidifier 水滴加湿器



○ White (白色)



● Green (绿色)

Model EW2001

- One power selection (一档)
- Background light (氛围灯)
- PTC heating steam (PTC加热蒸汽)
- Water shortage protection (缺水保护)
- Water tank detach detector (水箱提起保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX) 2.65L	(MAX) ≥250mL/h	≈10h	210W	AC100-120V AC220-240V	235x235x248	15-20	1.22	1100	2600

HUMIDIFIER (加湿器)



Water Drop Humidifier 水滴加湿器



○ White (白色)



● Green (绿色)

Model EW2004

- One power selection (一档)
- Background light (氛围灯)
- PTC heating steam (PTC加热蒸汽)
- Water shortage protection (缺水保护)
- Water tank detach detector (水箱提起保护)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
(MAX)	(MAX)			AC100-120V					
1.25L	≥120mL/h	≈10h	110W	AC220-240V	200x200x208	6-15	0.91	1400	3000

HUMIDIFIER(加湿器)



Travel Humidifier 旅行加湿器

Model EW1109



● Blue(蓝色) ● Red (红色) ● Green (绿色)



Stepless adjustment (无极调节)



Background light (氛围灯)



Ultrasonic (超声波雾化)



Water shortage protection (缺水保护)



Support power bank (可用移动电源供电)

水箱容量 Water capacity	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension	适用面积 Applied Room Area	净重 N.W.	20'GP	40'HQ
(MAX)	(MAX)				(mm)	(m ²)	(kg)		
0.25L	≥80mL/h	High≈3h	15W	DC5V 3A	107x82x95	5-10	0.22	12670	29160

DEHUMIDIFIER (除湿器)



Dehumidifier 除湿器



○ White (白色)

Model EK360KA

-  Continuous draining mode (持续排水)
-  Care mode (护理模式)
-  High temperature alarm (高温报警)
-  IPX4 waterproof rating (IPX4防水等级)

水箱容量 Water capacity	除湿量 Dehumidification	工作温度 Working Temperature	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	净重 N.W. (kg)	20' GP	40' HQ
(MAX) 750ml	(MAX) 约360ml/day	5~35°C	65W	220V~60Hz	100x272x276	约1.94	/	/

HUMIDIFIER (加湿器)



Capsule Humidifier 胶囊加湿器

Model EH1601



One Power selection (一档)



Background light (氛围灯)



Ultrasonic (超声波雾化)



Support power bank (可用移动电源供电)

○ White (白色) ● Pink (粉色) ● Blue (蓝色)

水箱容量 Water capacity (MAX)	加湿量 Humidification	工作时间 Working time	功率 Wattage	输入电压 Input Voltage	产品尺寸 Unit Dimension (mm)	适用面积 Applied Room Area (m ²)	净重 N.W. (kg)	20'GP	40'HQ
0.45L	≥20mL/h	6h	3W	DC5V 1A	108x108x213	5-10	0.33	13800	28000

Foshan Nanhai E-come Electronics Co., Ltd.



公司简介
Company Introduction

*Adress: E-COME Industrial Building,F20 District,
Pingnan village,Pingzhou,Nanhai,Foshan,
Guangdong,China*

Tel: 0086-757-81288271/86796378

Fax: 0086-757-81288270

Wed: www.fsecome.com

Phone/Wechat: +86 13929919076

Email: Jessica@fsecome.com